

Declaration – Phthalate Free & VOC Emissions Compliance

Imperial Flooring Australia® Pty Ltd declares that, based on information and documentation provided by our manufacturing partner, the raw materials and bonding compounds used in the manufacture of Imperial SPC Hybrid Flooring are **phthalate-free**.

Furthermore, the product has been tested to meet the applicable **FloorScore® indoor air quality requirements** for resilient flooring (EVP) with a maximum product thickness of **up to and including 8 mm**, excluding any attached underlay.

Test Result:

- **VOC Emissions:** Less than **E1** limits
- **Certification:** **FloorScore® Certified** for indoor air quality compliance

This declaration is made in good faith based on information supplied by the manufacturer and supporting test documentation available at the time of issue.

For the following product(s):

Vinyl Tile:

Stone Plastic Composite Flooring (*Maximum thickness: 8mm*)

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-105 Version 4.2 – 2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-05072

Valid from: September 01, 2024 to August 31, 2025

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.




Nicole Munoz, Vice President, ECS
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA